



1:1

| MOD. | REV. | PROPOSAL | DESCRIPTION | DATE | SIGN | | | | | | | | | | | | | | | | | |
|---|--------------------|----------|---|--------------------|-----------|--|--|--|-----|-----|------|-------|-------|-----|------|-------|-------|-------|--|--------|--|-------|
| All materials employed have to be selected among RoHS compliant materials: the EC directives to be referred to are 2002/95/EC and correlated subsequent ones. | | | | | | | | | | | | | | | | | | | | | | |
| DIMENSIONS WITHOUT TOLERANCE DEGREE: .. according to ISO 2768 | | | NOTE | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th rowspan="2">PRECISION DEGREE</th> <th colspan="5">DIMENSIONAL GROUPS</th> </tr> <tr> <th>> 0</th> <th>> 6</th> <th>> 30</th> <th>> 120</th> <th>> 315</th> </tr> </thead> <tbody> <tr> <td>A 6</td> <td>A 30</td> <td>A 120</td> <td>A 315</td> <td>A 999</td> <td></td> </tr> </tbody> </table> | | | PRECISION DEGREE | DIMENSIONAL GROUPS | | | | | > 0 | > 6 | > 30 | > 120 | > 315 | A 6 | A 30 | A 120 | A 315 | A 999 | | TREAT. | | SCALE |
| PRECISION DEGREE | DIMENSIONAL GROUPS | | | | | | | | | | | | | | | | | | | | | |
| | > 0 | > 6 | > 30 | > 120 | > 315 | | | | | | | | | | | | | | | | | |
| A 6 | A 30 | A 120 | A 315 | A 999 | | | | | | | | | | | | | | | | | | |
| MEDIUM (m) | | | MATER. | | 2:1 | | | | | | | | | | | | | | | | | |
| PRECISE (P) | | | DES. BY L. Rossetti | | | | | | | | | | | | | | | | | | | |
| | | | DATE 12/10/2011 | | | | | | | | | | | | | | | | | | | |
| DATALOGIC ™ www.datalogic.com | | | NAME | | APPROV. . | | | | | | | | | | | | | | | | | |
| | | | CVL-5196 Terminator cap SG4E | | MOLD N° . | | | | | | | | | | | | | | | | | |
| | | | CODE | | REV. | | | | | | | | | | | | | | | | | |
| | | | PART N° DIM-0699 | | | | | | | | | | | | | | | | | | | |