



# E1xx/M1xx

601-0456

Camera, M195, Gig-E, 2048 x 2048, 25 FPS,  
Grayscale, 1" CMOS\*\*\*

AREA SCAN CAMERAS

## OVERVIEW

- VGA to 5MP resolution, in both grayscale and color
- CMOS image sensors for high speed performance
- Power over Ethernet (PoE) guarantees minimum wiring and easy installation
- Compact housing (as small as 29 x 29 x 60 mm) enables mounting in space-constrained locations
- High Frame rates to keep up with high speed inspections
- Trigger and strobe I/O provide outstanding integration flexibility

## TECHNICAL FEATURES

### Application

Description

Camera unit

### Mechanical data

Lens mount

C-Mount

### Test/Approvals

Approvals

CE

### Generical Data

Camera Interface	GigE
Power Requirements	PoE or 12 VDC
Dimensions	42 mm x 29 mm x 29 mm
Operating Temperature	0 ... 50°C
Mechanical Protection	IP30
Resolution	2048x2048
Imager	1" CMOS
Shutter	Global
Frame rate (FPS)	25
PoE	Yes
Pixel size	5,5 µm

#### Optical Data

Mono/Color	Monochrome
------------	------------

## Datasensing S.r.l.

Strada S.Caterina, 235  
41122 Modena (MO)  
Tel. 059 420411  
Fax 059 253973  
E-mail  
info@datasensing.com

**date of  
printing**  
01/04/2026  
21:00:55