



# TL46

## S73030511

**LENS No. 50 glass**  
TL/LD LENS FOCUSING AT 40 MM

## OVERVIEW

## TECHNICAL FEATURES

### Detection properties

Nominal sensing distance	50mm
--------------------------	------

Sensitivity adjustment	n/a
------------------------	-----

### Application

Function Principle	Diffuse reflection (medium distance, $\leq 600\text{mm}$ )
--------------------	--

Description	Optics replacement
-------------	--------------------

Functions	TL/LD lens focussing at 50 mm
-----------	-------------------------------

### Outputs

Output type	n/a
-------------	-----

Response time	n/a
---------------	-----

#### Electrical data

Operating Voltage	n/a
-------------------	-----

LED indicators	Green (powerON)
----------------	-----------------

Time delay before availability	≤200ms
--------------------------------	--------

Emission	n/a
----------	-----

#### Mechanical data

Dimensions	Ø33x19
------------	--------

Connections	n/a
-------------	-----

Material	Metal / Glass
----------	---------------

#### Test/Approvals

EMC compatibility	EN 60947-5-2
-------------------	--------------

#### Generical Data

Dimensions	Ø33x19
------------	--------

Operating Temperature	- 15°C...+ 55°C (Without freeze)
-----------------------	----------------------------------

## **Datasensing S.r.l.**

Strada S.Caterina, 235  
41122 Modena (MO)  
Tel. 059 420411  
Fax 059 253973  
E-mail  
info@datasensing.com

**date of  
printing**  
25/04/2026  
04:42:36

