



UT

UT2F/G6-0ESY

Ultra.M30,PNP+4-20mA,M12 plug,Diffuse
M30 CYLINDRICAL DIRECT DIFFUSE &
RETRO-REFLECTIVE ULTRASONIC SENSOR WITH
TEACH-IN BUTTON

OVERVIEW

- M30 ultrasonic sensor with standard housing and with large front with high performances and high sensing distances
- Adjustable hysteresis function: models with double digital programmable output specific for level detection
- Models with voltage or current output: programmable slope to optimize resolution
- Adjustable working area (window mode or object mode) by Teach-in button on all models for a quick and easy installation
- Two multifunction LEDs: orange LED for adjustment procedure and output type and green LED for target alignment
- Plastic and AISI 316L stainless steel housing, plug M12 or cable exit 4 pin

TECHNICAL FEATURES

Detection properties

Nominal sensing distance	
Thermal drift of Sr	
Repeat Accuracy	
Beam angle	
Resolution	

Sensitivity adjustment

Teach-in button

Hysteresis

thermal compensation

Minimum sensing distance (blind zone)

Linearity error

Application

Function Principle

Diffuse reflection

Outputs

Output type

PNP + 4...20mA

Output Function

NO/NC + positive/negative slope

Switching frequency

Response time

Electrical data

Operating Voltage

No-Load supply current

Load current

Leakage current

Output voltage drop

Max ripple content

LED indicators

Time delay before availability

Short-circuit protection

Reverse Polarity Protection

Impulsive Overvoltage Protection

Mechanical data

Dimensions

Housing material

Weight

Connections

M12 Plug

Tightening torque

Operating temperature

Storage temperature

Transducer Frequency

Diameter/Dimension

M30

Test/Approvals

Approvals

EMC compatibility

Shocks and vibrations

Degree of protection

Accessories

Supplied Accessories

Generical Data



Dimensions

Operating Temperature

Mechanical Protection

OTHERS

Dimensions



S.r.l.

Strada S.Caterina, 235
41122 Modena (MO)
Tel. 059 420411
Fax 059 253973
E-mail
info@datasensing.com

printing

13/06/2026
13:39:44